

# THE ANDERSONS SAFETY DATA SHEET

DATE PREPARED: 11/23/16 CURRENT AS OF: 11/28/16

## **SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION**

PRODUCT CODE: APT8CR5.40

PRODUCT NAME: Andersons Professional Turf Products 8% Granular Insecticide with Carbaryl

PRODUCT USE: Fertilizer

MFR INFO: The Andersons Lawn Products

PO Box 119

Maumee, Ohio USA 43537

FOR EMERGENCY: (800) 757-8951 FOR INFORMATION: (419) 893-5050

## **SECTION 2: HAZARDS IDENTIFICATION**

## **HAZARD SYMBOLS / STATEMENTS:**



WARNING HARMFUL IF INHALED OR SWALLOWED.
SUSPECTED OF CAUSING CANCER.

HAZARD CLASSIFICATIONS:CATEGORYINTERPRETATIONCARCINOGENICITY2Suspected of causing cancer

ACUTE TOXICITY, INHALATION 4 Harmful if inhaled ACUTE TOXICITY, ORAL 4 Harmful if swallowed

## **PRECAUTIONARY STATEMENTS:**

- OBTAIN SPECIAL INSTRUCTIONS BEFORE USE
- DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD
- IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION
- STORE LOCKED UP
- WEAR PROTECTIVE GLOVES AND CLOTHING
- REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE
- DO NOT BREATHE DUSTS
- WASH THOROUGHLY AFTER HANDLING
- IF SWALLOWED AND UNWELL: SEEK MEDICAL ATTENTION
- IF IN EYES OR ON SKIN: RINSE AREA WITH PLENTY OF WATER, REMOVE CONTACT LENSES
- IF EYE OR SKIN IRRITATION CONTINUES: SEEK MEDICAL ATTENTION

## **APT8CR5.40**

#### **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

CHEMICAL IDENTITY	<u>SYNONYM</u>	<b>CAS NUMBER</b>	<b>CONCENTRATION (%)</b>
Proprietary carrier	DG Lite	Not listed	85-90
Carbaryl	Sevin	63-25-2	5-10
Polybutene	Indopol	9003-29-6	1-5

#### **SECTION 4: FIRST AID MEASURES**

IF INHALED: Move to fresh air and keep comfortable. Call POISON CONTROL and seek

medical attention.

IF ON SKIN: Wash affected areas with soap and water while removing and isolating all

contaminated clothing. Seek medical attention if irritation persists. Wash

contaminated clothing before re-use.

IF IN THE EYES: Immediately flush with water for 15-20 minutes and seek medical attention.

IF SWALLOWED: Rinse mouth. DO NOT INDUCE VOMITTING unless directed by a medical

professional. Call POISON CONTROL and seek medical attention.

SPECIAL TREATMENT: None known

HEALTH HAZARDS: See Section 11

## **SECTION 5: FIREFIGHTING MEASURES**

EXTINGUISHING MEDIA: Use media suitable for surrounding fire. No special media

required.

SPECIFIC FIRE HAZARDS: When heated to decomposition, this product will emit toxic

oxides. Containers may explode when heated.

SPECIAL FIREFIGHTING PROCEDURES: Wear full protective clothing and positive-pressure self-

contained breathing apparatus (SCBA).

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

SPILL / RELEASE PROCEDURES: Remove heat and sources of ignition. Contain material and place in

containers for use as intended, or discard according to Federal, State

and Local regulations.

ENVIRONMENTAL PRECAUTIONS: Prevent spilled material from entering storm drains or water bodies. If

material enters a waterway, notify the appropriate authorities.

PROTECTIVE EQUIPMENT: Wear PPE according to Section 8

### **SECTION 7: HANDLING AND STORAGE**

Wash hands after handling material. Do not eat, drink or smoke while handling the material. Do not get in eyes or on skin. Do not breathe dusts. Not intended for human consumption. Store in a cool, dry, well ventilated area away from incompatible materials and sources of heat.

#### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

# **EXPOSURE LIMITS:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

HAZARDOUS COMPONENT OSHA PEL ACGIH TLV

DG Lite carrier 15 mg/m³ (total) 10 mg/m³ (inhalable)

5 mg/m³ (respirable) 3 mg/m³ (respirable)

Carbaryl Not Available 5 mg/m<sup>3</sup>

PERSONAL PROTECTIVE EQUIPMENT / PROTECTION MEASURES / CONTROLS:

RESPIRATORY PROTECTION: NIOSH approved pesticide respirator, if required

EYE PROTECTION: Safety glasses with sideshields, goggles, or faceshield

SKIN PROTECTION: Long sleeves, chemical-resistant (PVC) gloves recommended

VENTILATION: Use with adequate ventilation

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE AND ODOR: Tan granular mix, with slight odor

pH: Not Applicable Not applicable MELTING POINT: Not available **BOILING POINT:** Not flammable FLASH POINT: **EVAPORATION RATE:** Not available FLAMMABLE LIMITS: Not applicable VAPOR PRESSURE: Not available VAPOR DENSITY: Not available

SPECIFIC GRAVITY: ~0.677

SOLUBILITY (IN WATER): Relatively insoluble

PARTITION COEFFICIENT: Not available AUTOIGNITION TEMP: Not available DECOMPOSITION TEMP: Not available ODOR THRESHOLD: Not available VISCOSITY: Not available

## **SECTION 10: STABILITY AND REACTIVITY**

STABILITY: Product is stable.

CONDITIONS TO AVOID: Heat, open flame, incompatible materials

INCOMPATIBILITY: Strong oxidizers, organic solvents

HAZARDOUS DECOMPOSITION PRODUCTS: NOx, COx, methyl isocyanate

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

HEALTH EFFECTS: Effects of contact or inhalation may be delayed. Suspected of damaging fertility or the

unborn child. Causes damage to blood and liver through prolonged or repeated exposure. May cause eye and skin irritation. Ingestion may result in abdominal pain, nausea, diarrhea, blurred vision, sweating, salivation, muscle twitching, and tremor. Signs and symptoms include headache, dizziness, incoordination, muscle twitching, tremors, nausea, diarrhea, abdominal cramps, sweating, pupil constriction, blurred vision, salivation, tearing, tightness in the chest, excessive urination, and convulsions.

All symptoms are dose-dependent, rapid in onset, and reversible in time.

CARCINOGENICITY: Carbaryl is classified as "Not Classifiable" (Group D). Acute and chronic exposure may

cause cholinesterase inhibition. Product may contain trace amounts of wood dust and

crystalline silica, which are listed by IARC as potential human carcinogens.

## INGREDIENT TOXICITY RANGES:

ORAL: 187 mg/kg (carbaryl) – 34,600 mg/kg (polybutene)

DERMAL: 4,000 mg/kg (carbaryl) - > 10,250 mg/kg (polybutene)

INHALATION: 2.5 mg/L (4 hr) (carbaryl) – 4,820 mg/m<sup>3</sup> (4 hr) (polybutene)

#### **SECTION 12: ECOLOGICAL INFORMATION**

Very toxic to aquatic life with long lasting effects. Long term degradation products may arise. Products of degradation are not expected to be hazardous.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Use product for intended purpose where possible. Do not generate dusts. Dispose of in accordance with all national, regional / state, and local regulations.

## **SECTION 14: TRANSPORT INFORMATION**

This product is not regulated as a transportation hazard.

# **SECTION 15: REGULATORY INFORMATION**

SARA 311/312: Acute

SARA 313: Carbaryl

REPORTABLE QUANTITY: Carbaryl (100 lbs)

RIGHT-TO-KNOW: Carbaryl (CA, CT, IL, MA, MN, NJ, PA, RI)

CA PROP-65: WARNING: This product contains a chemical known to

the State of California to cause cancer or reproductive

harm (Carbaryl)

RCRA: Code U279

# **APT8CR5.40**

# **SECTION 16: OTHER INFORMATION**

NFPA RATINGS: HEALTH 2

FLAMMABILITY 0 INSTABILITY 0

HMIS RATINGS: HEALTH 2

FLAMMABILITY 0 INSTABILITY 0

ACTIVE INGREDIENT LEVEL (%): 8.0 as carbaryl

SDS NO: 1010A

PREPARED BY: DBA EHS Consulting

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Andersons be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.