

Revision date : 2012/11/09 Version: 1.0

Page: 1/9 (30472303/SDS\_GEN\_US/EN)

# **1. Product and Company Identification**

Company BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA 24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Registrant: Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis, MO 63122

# 2. Hazards Identification

## **Emergency overview**

CAUTION: FLAMMABLE. KEEP OUT OF REACH OF CHILDREN. KEEP OUT OF REACH OF DOMESTIC ANIMALS. Avoid contact with the skin, eyes and clothing. Aerosol container contains flammable gas under pressure.

State of matter: liquid Colour: pale straw yellow Odour: flowery

## Potential health effects

### Primary routes of exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

#### Acute toxicity:

Relatively nontoxic after single ingestion. Relatively nontoxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

#### Irritation / corrosion:

May cause moderate irritation to the skin. May cause moderate but temporary irritation to the eyes.

#### Sensitization:

Skin sensitizing effects were not observed in animal studies.

Revision date : 2012/11/09 Version: 1.0

## Page: 2/9 (30472303/SDS\_GEN\_US/EN)

# 3. Composition / Information on Ingredients

Content (W/W) 6.0 % 0.5 % > 40.0 % < 5.0 % > 40.0 %

**Chemical name** 2,6-Octadien-1-ol, 3,7-dimethyl-, (E)-Lemongrass Oil White mineral oil (petroleum) carbon dioxide Proprietary ingredients

# 4. First-Aid Measures

### **General advice:**

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

#### If inhaled:

Remove the affected individual into fresh air and keep the person calm.

#### If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

#### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

#### If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

# 5. Fire-Fighting Measures

Lower explosion limit:		not determine
Upper explosion limit:		not determine
Flammability of Aerosol	0 in	
Products:	no flashback	
NFPA 30B flammability:		
	Level 3 Aerosol	

#### hei ed

#### Suitable extinguishing media:

foam, dry powder, carbon dioxide, water spray

#### Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure. Risk of explosion at excessive temperatures.

#### Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### **Further information:**

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

Revision date : 2012/11/09 Version: 1.0

Page: 3/9 (30472303/SDS\_GEN\_US/EN)

# 6. Accidental release measures

## **Personal precautions:**

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

### **Environmental precautions:**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities.

#### **Cleanup:**

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

# 7. Handling and Storage

## Handling

#### General advice:

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

### Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

# **Storage**

#### **General advice:**

Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

#### Storage incompatibility:

General advice: Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

#### Storage stability:

May be kept indefinitely if stored properly. If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

#### Temperature tolerance

Protect from temperatures above: 130 °F Explosive at or above indicated temperature.

# 8. Exposure Controls and Personal Protection

## Components with occupational exposure limits

Revision date : 2012/11/09 Version: 1.0

# Page: 4/9 (30472303/SDS\_GEN\_US/EN)

White mineral oil (petroleum)	OSHA	PEL 5 mg/m3 Mist ;
carbon dioxide	ACGIH OSHA ACGIH	TWA value 5 mg/m3 Inhalable fraction ; PEL 5,000 ppm 9,000 mg/m3 ; TWA value 5,000 ppm ; STEL value 30,000 ppm ;

## Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

## Personal protective equipment

## **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

## Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

## Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

## **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

## General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and Chemical Properties

Form: Odour: Colour: pH value:	aerosol flowery pale straw yellow	insoluble
Vapour pressure: Density: Vapour density: Partitioning coefficient n- octanol/water (log Pow):	approx. 6.9 hPa < 1 g/cm3	(approx. 20 °C) ( 20 °C) not determined not applicable
Viscosity, dynamic: Solubility in water:		not determined not soluble

# **10. Stability and Reactivity**

## Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Revision date : 2012/11/09 Version: 1.0 Page: 5/9 (30472303/SDS\_GEN\_US/EN)

#### Substances to avoid:

strong acids, strong bases, strong oxidizing agents

#### Hazardous reactions:

The product is chemically stable.

## **Decomposition products:**

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

#### Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

# **11. Toxicological information**

#### Acute toxicity

#### Oral:

Type of value: LD50 Species: rat (female) Value: > 5,000 mg/kg

#### Inhalation:

Type of value: LC50 Species: rat (male/female) Value: > 2.11 mg/l Exposure time: 4 h

#### Dermal:

Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg

## Irritation / corrosion

Skin: Species: rabbit Result: moderately irritating

## Eye:

Species: rabbit Result: mildly irritating

#### Sensitization:

Buehler test Species: guinea pig Result: Skin sensitizing effects were not observed in animal studies.

## **Genetic toxicity**

Information on: 2,6-Octadien-1-ol, 3,7-dimethyl-, (E)-Results from a number of mutagenicity studies with microorganisms, mammalian cell culture and mammals are available. Taking into account all of the information, there is no indication that the substance is mutagenic.

#### Information on: White mineral oil (petroleum)

The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The substance was not genotoxic in mammalian cell culture. The substance was not genotoxic in a test with mammals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Revision date : 2012/11/09 Version: 1.0

Page: 6/9 (30472303/SDS\_GEN\_US/EN)

\_\_\_\_\_

### Carcinogenicity

Information on: 2,6-Octadien-1-ol, 3,7-dimethyl-, (E)-In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was not observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Information on: White mineral oil (petroleum) Results from a number of long-term carcinogenity studies are available. Taking into account all of the information, there is no indication that the substance itself is carcinogenic. In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

-----

## **Reproductive toxicity**

Information on: 2,6-Octadien-1-ol, 3,7-dimethyl-, (E)-The results of animal studies gave no indication of a fertility impairing effect. Information on: White mineral oil (petroleum) The results of animal studies gave no indication of a fertility impairing effect.

#### **Development:**

Information on: 2,6-Octadien-1-ol, 3,7-dimethyl-, (E)-In animal studies the substance did not cause malformations. Information on: White mineral oil (petroleum) No indications of a developmental toxic / teratogenic effect were seen in animal studies.

# 12. Ecological Information

# Fish

Information on: 2,6-Octadien-1-ol, 3,7-dimethyl-, (E)-Acute: OECD 203; ISO 7346; 84/449/EEC, C.1 static Brachydanio rerio/LC50 (96 h): approx. 22 mg/l The details of the toxic effect relate to the nominal concentration.

Information on: White mineral oil (petroleum) Acute: OECD Guideline 203 static Leuciscus idus/LL50 (96 h): > 10,000 mg/l Analogous: Assessment derived from products with similar chemical character. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Limit concentration test only (LIMIT test).

### Aquatic invertebrates

Information on: 2,6-Octadien-1-ol, 3,7-dimethyl-, (E)-Acute: OECD Guideline 202, part 1 static Daphnia magna/EC50 (48 h): 10.8 mg/l The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The statement of the toxic effect relates to the analytically determined concentration.

Information on: White mineral oil (petroleum) Acute: OECD Guideline 202, part 1 static

Revision date : 2012/11/09 Version: 1.0

Page: 7/9 (30472303/SDS\_GEN\_US/EN)

Daphnia magna/LL50 (48 h): > 100 mg/l

Analogous: Assessment derived from products with similar chemical character. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration.

## Aquatic plants

Information on: White mineral oil (petroleum) Toxicity to aquatic plants: OECD Guideline 201 static green algae/Lowest observed effect concentration (72 h): < 100 mg/l Analogous: Assessment derived from products with similar chemical character. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration. Limit concentration test only (LIMIT test). Information on: White mineral oil (petroleum)

Toxicity to aquatic plants: OECD Guideline 201 static green algae/Lowest observed effect concentration (72 h): < 100 mg/l Analogous: Assessment derived from products with similar chemical character. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration. Limit concentration test only (LIMIT test).

# 13. Disposal considerations

# Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

## Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

# **14. Transport Information**

Proper shipping name:

Land transport USDOT	
Hazard class: ID number: Hazard label: Proper shipping name:	2.1 UN 1950 2.1 AEROSOLS
<b>Sea transport</b> IMDG	
Hazard class: ID number: Hazard label: Marine pollutant:	2.1 UN 1950 2.1 NO

**AEROSOLS** 

Revision date : 2012/11/09 Version: 1.0 Page: 8/9 (30472303/SDS\_GEN\_US/EN)

#### Air transport IATA/ICAO

Hazard class: ID number: Hazard label: Proper shipping name: 2.1 UN 1950 2.1 AEROSOLS, FLAMMABLE

# **Further information**

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2013, ORM-D will not apply.

# **15. Regulatory Information**

# Federal Regulations

<b>Registration status:</b> Chemical	TSCA, US	released / listed
Crop Protection	TSCA, US	released / exempt
<b>OSHA hazard category:</b> Chronic target organ effects reported; ACGIH TLV established		
EPCRA 311/312 (Hazard categories): Acute; Chronic		
State regulations		

State RTK	CAS Number	<u>Chemical name</u>
MA, NJ, PA	8042-47-5	White mineral oil (petroleum)
MA, NJ, PA	124-38-9	carbon dioxide

# 16. Other Information

Recommended use: insecticide

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

MSDS Prepared by: BASF NA Product Regulations msds@basf.com MSDS Prepared on: 2012/11/09

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE

Revision date : 2012/11/09 Version: 1.0 Page: 9/9 (30472303/SDS\_GEN\_US/EN)

DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET